Killian-Jamieson Diverticulum

Kathryn M. Adams, DO Keith E. Mahin, DO

From the Michigan State
University College of
Osteopathic Medicine in
Lansing. Drs Adams
and Mahin are residents
in internal medicine at
Lakeland HealthCare in
St Joseph, Michigan.

Financial Disclosures: None reported.

Support: None reported.

Address correspondence to Kathryn M. Adams, DO, 812 Main St, Apt 4, St Joseph, MI 49085-1797.

> E-mail: kmadams @lakelandhealth.org

Submitted April 23, 2015; accepted April 29, 2015.

74-year-old man presented to the emergency department with increasing dysphagia with solid foods during the past 4 weeks. He admitted to regurgitating particles of food that had been swallowed only hours before. He denied dysphagia with liquids, nausea, vomiting, hematemesis, and abdominal pain. A fluoroscopic esophagram revealed an anterolateral cervical outpouching consistent with a Killian-Jamieson diverticulum, seen from an anteroposterior view (image A, arrow) and a lateral view (image B, arrow). The patient died before treatment.

Killian-Jamieson diverticula are characterized by an outpouching through a muscular gap in the anterolateral wall of the proximal cervical esophagus. The pathogenesis is unclear, and it is rarer than Zenker diverticulum. Differentiation can be made with barium contrast esophagographic or endoscopic evaluation. Common symptoms include dysphagia, cough, and epigastric pain. The primary treatment option is repair, either surgically or endoscopically, and should only be offered to patients who are symptomatic or who have large diverticula. (doi:10.7556/jaoa.2015.141)

Suggested Reading

- Chea C, Siow S, Khor TW, Azim NA. Killian-Jamieson diverticulum: the rarer cervical esophageal diverticulum. Med J Malaysia. 2011;66(1):73-74.
- Ekberg O, Nylander G. Lateral diverticula from the pharyngo-esophageal junction area. *Radiology*. 1983;146(1):117-122.
- Boisvert RD, Bethune D, Acton D, Klassen DR. Bilateral Killian-Jamieson diverticula: a case report and literature review. Can J Gastroenterol. 2010;24(3):173-174.

© 2015 American Osteopathic Association



